FPB.001-11.01

SAFETY DATA SHEET
A1 EXTRA AKRİLİK

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name A1 EXTRA AKRİLİK

Product number 21B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Water based, acrylic resin used exterior paint.

Maddenin/karışımın kullanımı

1.3. Details of the supplier of the safety data sheet

Supplier
POLİSAN KANSAI BOYA SAN. VE TİC. A.Ş.
Demirciler Osb. Mh. Refik Baydur Cd. No:7/3 Dilovası - KOCAELİ
TURKIYE
www.kansaipolisan.com.tr
+90 262 679 60 00
+90 262 606 03 70
info@kansaipolisan.com

Contact person Occupational Health and Safety Department

Manufacturer
POLİSAN KANSAI BOYA SAN. VE TİC. A.Ş.
Demirciler Osb. Mh. Refik Baydur Cd. No:7/3 Dilovası - KOCAELİ
TURKIYE
www.kansaipolisan.com.tr
+90 262 679 60 00
+90 262 606 03 70
info@kansaipolisan.com

1.4. Emergency telephone number

Emergency telephone ULUSAL ZEHIR DANISMA MERKEZI(UZEM):114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Skin Sens. 1 - H317

Environmental hazards Not Classified

Physicochemical The product isn't flammable.

Classification (Regulation (EC) No. 1272/2008 CLP).

Zararlı fizikokimyasal etkiler ve insan sağlığı ile çevre üzerindeki olumsuz etkileri

2.2. Label elements

A1 EXTRA AKRİLİK

Hazard pictograms



Signal word	Warning
Hazard statements	H317 May cause an allergic skin reaction.
Precautionary statements	P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves, eye and face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P404 Store in a closed container.
Contains	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

Dokunsal uyarı

Çocuk emniyetli sabitleme

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

Sınıflandırmaya katkıda bulunmayan diğer zararlılıklar

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANEDIOL **<3%**

CAS number: 107-21-1 EC number: 203-473-3

Classification
Acute Tox. 4 - H302
STOT RE 2 - H373

TETRAMETHYLOL ACETYLENEDIUREA **<0,2%**

CAS number: 5395-50-6 EC number: 226-408-0

Classification
Skin Sens. 1 - H317

2-methylisothiazol-3(2H)-one **<0,005%**

CAS number: 2682-20-4 EC number: 220-239-6

M factor (Acute) = 10 M factor (Chronic) = 1

Classification
Acute Tox. 3 - H301
Acute Tox. 3 - H311
Acute Tox. 2 - H330
Skin Corr. 1B - H314
Eye Dam. 1 - H318
Skin Sens. 1A - H317
Aquatic Acute 1 - H400
Aquatic Chronic 1 - H410

A1 EXTRA AKRİLİK

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	**<0,003%**
CAS number: 55965-84-9	
M factor (Acute) = 100	M factor (Chronic) = 100
SCL:Skin Corr. 1C - H314C ≥ 0,6 %Eye Irrit. 2 - H319: 0,06 % ≤ C < 0,6 %Skin Irrit. 2 - H315: 0,06 % ≤ C < 0,6 %Skin Sens. 1A - H317C ≥ 0,0015 %	

Classification
Acute Tox. 3 - H301
Acute Tox. 2 - H310
Acute Tox. 2 - H330
Skin Corr. 1C - H314
Eye Dam. 1 - H318
Skin Sens. 1A - H317
Aquatic Acute 1 - H400
Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information If in doubt, get medical attention promptly. Get medical attention if symptoms are severe or persist. Never give anything by mouth to an unconscious person. Show this Safety Data Sheet to the medical personnel.

Inhalation N/A

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information See Section 11 for additional information on health hazards.

Ingestion May be harmful if swallowed.

Eye contact May cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not relevant. Unusual fire or explosion hazards are not noted.

Patlama tehlikesi

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

A1 EXTRA AKRİLİK

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.

Koruyucu donanım

Acil durum planları

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Flush contaminated area with plenty of water. Contain spillage with sand, earth or other suitable non-combustible material.

Temizlik işlemleri

Diğer bilgiler

6.4. Reference to other sections

Reference to other sections For waste disposal, see section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read label before use.

Advice on general occupational hygiene Wash skin thoroughly after handling.

Hijyen ölçütleri

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Ambalaj malzemeleri

7.3. Specific end use(s)

Usage description Use the product according to its Technical Data Sheet or instructions written on the label.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour
Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour
Sk
Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate
Sk
WEL = Workplace Exposure Limit.
Sk = Can be absorbed through the skin.

Methylene Chloride (75-09-2)
Türkiye - Mesleki Maruziyet Limitleri

Yerel ad

OEL TWA

OEL STEL

Yorumlar

A1 EXTRA AKRİLİK

Mevzuat referansı

Methylene Chloride (75-09-2) - AB - Belirleyici Mesleki Maruz Kalma Sınır Değeri (IOEL)

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation.
Personal protection	Use the personal protective equipments showed above.
Eye/face protection	Wear chemical splash goggles.
Hand protection	Wear protective gloves.
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Wash skin thoroughly after handling.
Respiratory protection	No specific recommendations.
Environmental exposure controls	Look upto Chapter 6

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	The colors covered in the Polisan Color Catalogue.
Odour	Characteristic.
pH	pH (concentrated solution): 8 - 9
Flash point	Not relevant.
Upper/lower flammability or explosive limits	Not relevant.
Relative density	1,53-1,57 g/ml
Viscosity	16000 - 21000 cP @ °C
pH çözeltisi	
Ayrışma sıcaklığı	
Patlayıcı sınırlar	

9.2. Other information

Refractive index	Technically not feasible.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Stable under normal conditions.

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not relevant. Will not polymerise.

A1 EXTRA AKRİLİK

10.4. Conditions to avoid

Conditions to avoid Avoid freezing.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

ATE oral (mg/kg) 20,000.0

General information May cause an allergic skin reaction.

Ingestion May be harmful if swallowed.

Acute and chronic health hazards May cause discomfort.

Medical symptoms May cause discomfort if swallowed.

Medical considerations No information available.

11.2 Information on other hazards

Information on other hazards

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish LC_{50}, 96 hours: 158 mg/l, Fish

Acute toxicity - aquatic invertebrates EC_{50}, 48 hours: 0,12 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential There is no information about experimantal datas of product

12.4. Mobility in soil

Mobility Not considered mobile.

12.5. Results of PBT and vPvB assessment

12.6 Endocrine disrupting properties

Endocrine disrupting properties

12.6. Other adverse effects

Other adverse effects Not available.

A1 EXTRA AKRİLİK

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods The generation of waste should be minimised or avoided wherever possible.

ATIK YÖNETİMİ YÖNETMELİĞİ

Ürün/Ambalaj imha tavsiyeleri

Ambalaj atık türü

Avrupa Atık Listesi (LoW, EC 2000/532)

HP kodu

R/D kodu (Geri Kazanım/Bertaraf, AB 2008/98)

*

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN number or ID number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Özel Hükümler

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

According to Regulation EC no: 1272/2008

Guidance Workplace Exposure Limits EH40.

A1 EXTRA AKRİLİK

.

15.2. Chemical safety assessment

SECTION 16: Other information

Issued by	NİHAL ŞAHİN /KDU01.27.07
Revision	01
Supersedes date	07/07/2025
SDS number	23901
Hazard statements in full	H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H373 May cause damage to organs through prolonged or repeated exposure if swallowed or if inhaled.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.