FPB.001-11.01

# SAFETY DATA SHEET
# POLIPOX SHOP PRIMER B KOMP.

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name** POLIPOX SHOP PRIMER B KOMP.

**Container size** 20 KG TKM(17,5 KG A + 2,5 KG B )

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Poliamid based UNIPOX SHOP PRIMER hardener.

### 1.3. Details of the supplier of the safety data sheet

**Supplier**
POLİSAN KANSAI BOYA SAN. VE TİC. A.Ş.
Demirciler Osb. Mh. Refik Baydur Cd. No:7/3 Dilovası - KOCAELİ
TURKIYE
www.kansaipolisan.com.tr
+90 262 679 60 00
+90 262 606 03 70
info@kansaipolisan.com

**Contact person** Occupational Health and Safety Department

**Manufacturer**
POLİSAN KANSAI BOYA SAN. VE TİC. A.Ş.
Demirciler Osb. Mh. Refik Baydur Cd. No:7/3 Dilovası - KOCAELİ
TURKIYE
www.kansaipolisan.com.tr
+90 262 679 60 00
+90 262 606 03 70
info@kansaipolisan.com

### 1.4. Emergency telephone number

**Emergency telephone** POLISAN KANSAI BOYA SAN. TİC. A.Ş. : +90 262 679 73 45 ULUSAL ZEHIR DANISMA MERKEZI(UZEM):114

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification (SI 2019 No. 720)**

**Physical hazards** Flam. Liq. 2 - H225

**Health hazards** Skin Irrit. 2 - H315 Muta. 1B - H340 Carc. 1B - H350 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373

**Environmental hazards** Not Classified

**Classification (Regulation (EC) No. 1272/2008 CLP).**

### 2.2. Label elements

**Hazard pictograms**



**Signal word** Danger

# POLIPOX SHOP PRIMER B KOMP.

**Hazard statements**

EUH208 Contains TRIETHYLENETETRAMINE. May produce an allergic reaction.
H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H340 May cause genetic defects.
H350 May cause cancer.
H361d Suspected of damaging the unborn child.
H336 May cause drowsiness or dizziness.
H373 May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe vapour/ spray.
P261 Avoid breathing vapour/ spray.
P264 Wash contaminated skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313 IF exposed or concerned: Get medical advice/ attention.
P312 Call a POISON CENTRE/doctor if you feel unwell.
P314 Get medical advice/ attention if you feel unwell.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/ container in accordance with national regulations.

**Contains**

toluene, NAPHTHA (PETROLEUM), SOLVENT REFINED HEAVY; LOW BOILING POINT MODIF

### 2.3. Other hazards

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**toluene** **60-80%**

CAS number: 108-88-3 EC number: 203-625-9

**Classification**
Flam. Liq. 2 - H225
Skin Irrit. 2 - H315
Repr. 2 - H361d
STOT SE 3 - H336
STOT RE 2 - H373
Asp. Tox. 1 - H304

# POLIPOX SHOP PRIMER B KOMP.

**NAPHTHA (PETROLEUM), SOLVENT REFINED HEAVY; LOW BOILING POINT MODIF** **20-25%**

CAS number: 64741-92-0 EC number: 265-095-5

**Classification**
Muta. 1B - H340
Carc. 1B - H350
Asp. Tox. 1 - H304

**xylene** **1-5%**

CAS number: 1330-20-7 EC number: 215-535-7

**Classification**
Flam. Liq. 3 - H226
Acute Tox. 4 - H312
Acute Tox. 4 - H332
Skin Irrit. 2 - H315

**ETHYLBENZENE** **<1%**

CAS number: 100-41-4 EC number: 202-849-4

**Classification**
Flam. Liq. 2 - H225
Acute Tox. 4 - H332
STOT RE 2 - H373
Asp. Tox. 1 - H304
Aquatic Chronic 3 - H412

**TRIETHYLENETETRAMINE** **<1%**

CAS number: 112-24-3 EC number: 203-950-6

**Classification**
Acute Tox. 4 - H312
Skin Corr. 1B - H314
Eye Dam. 1 - H318
Skin Sens. 1 - H317
Aquatic Chronic 3 - H412

The full text for all hazard statements is displayed in Section 16.

**Composition comments** The data are given in accordance with the latest EU regulations.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information** If in doubt, get medical attention promptly. Get medical attention if symptoms are severe or persist. Never give anything by mouth to an unconscious person. Show this Safety Data Sheet to the medical personnel.

**Inhalation** Move affected person to fresh air at once. Get medical attention.

**Ingestion** DO NOT induce vomiting. Get medical attention immediately. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

**Skin contact** Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention immediately.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

# POLIPOX SHOP PRIMER B KOMP.

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue.

### 4.2. Most important symptoms and effects, both acute and delayed

**General information** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

**Inhalation** Vapours may cause drowsiness and dizziness. Harmful if inhaled.

**Ingestion** Harmful if swallowed.

**Skin contact** Causes skin irritation.

**Eye contact** Irritation, burning, lachrymation, blurred vision after liquid splash.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Use fire-extinguishing media suitable for the surrounding fire. Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

**Unsuitable extinguishing media** Water.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Not known.

**Hazardous combustion products** Oxides of carbon.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Contain and collect extinguishing water.

**Special protective equipment for firefighters** Wear chemical protective suit. Use air-supplied respirator, gloves and protective goggles.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.

**For non-emergency personnel** No data available.

**For emergency responders** No data available.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination. Contain spillage with sand, earth or other suitable non-combustible material.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

# POLIPOX SHOP PRIMER B KOMP.

**Usage precautions** Avoid spilling. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Wear eye and face protection. Wear appropriate clothing to prevent any possibility of skin contact.

**Advice on general occupational hygiene** When using do not eat, drink or smoke. Do not smoke in work area. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes wet or contaminated.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

**Storage class** Flammable liquid storage.

### 7.3. Specific end use(s)

**Usage description** Use the product according to its Technical Data Sheet or instructions written on the label.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

**Occupational exposure limits**

**toluene**

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m³
Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m³
Sk

**xylene**

Long-term exposure limit (8-hour TWA): WEL 50 ppm 220 mg/m³
Short-term exposure limit (15-minute): WEL 100 ppm 441 mg/m³
Sk, BMGV

**ETHYLBENZENE**

Long-term exposure limit (8-hour TWA): WEL 100 ppm(Sk) 441 mg/m3(Sk)
Short-term exposure limit (15-minute): WEL 125 ppm(Sk) 552 mg/m3(Sk)

WEL = Workplace Exposure Limit.
Sk = Can be absorbed through the skin.
BMGV = Biological monitoring guidance value.

**Ingredient comments** WEL = Workplace Exposure Limits

### 8.2. Exposure controls

**Protective equipment**



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation. Ensure that the direction of airflow is clearly away from the worker. Use approved respirator if air contamination is above an acceptable level. Use explosion-proof electrical, ventilating and lighting equipment. Static electricity and formation of sparks must be prevented.

**Personal protection** Use the personal protective equipments showed above. Remove sources of ignition, do not turn lights or unprotected electrical equipment on or off. In case of a major spill or spillage in a confined space evacuate the area and check that solvent vapour levels are below the Lower Explosive Limit before re-entering.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection** Use protective gloves.

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

# POLIPOX SHOP PRIMER B KOMP.

| | |
|---|---|
| **Hygiene measures** | Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do not eat, drink or smoke when using this product. |
| **Respiratory protection** | If ventilation is inadequate, suitable respiratory protection must be worn. |
| **Thermal hazards** | No data available. |
| **Environmental exposure controls** | Keep container tightly sealed when not in use. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| | |
|---|---|
| **Colour** | Colourless. |
| **Odour** | Characteristic. |
| **Flash point** | 2°C Closed cup. |

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

| | |
|---|---|
| **Reactivity** | Stable under normal conditions. |

### 10.2. Chemical stability

| | |
|---|---|
| **Stability** | Stable at normal ambient temperatures. |

### 10.3. Possibility of hazardous reactions

| | |
|---|---|
| **Possibility of hazardous reactions** | Not known. |

### 10.4. Conditions to avoid

| | |
|---|---|
| **Conditions to avoid** | Avoid heat, flames and other sources of ignition. Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. |

### 10.5. Incompatible materials

| | |
|---|---|
| **Materials to avoid** | Avoid contact with the following materials: Acids - oxidising. |

### 10.6. Hazardous decomposition products

| | |
|---|---|
| **Hazardous decomposition products** | Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide ($CO_2$). |

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity - dermal**

| | |
|---|---|
| **ATE dermal (mg/kg)** | 29,333.33 |

**Acute toxicity - inhalation**

| | |
|---|---|
| **ATE inhalation (gases ppm)** | 120,000.0 |
| **ATE inhalation (vapours mg/l)** | 293.33 |
| **ATE inhalation (dusts/mists mg/l)** | 40.0 |

| | |
|---|---|
| **Inhalation** | Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. |

# POLIPOX SHOP PRIMER B KOMP.

| | |
|---|---|
| **Ingestion** | Gastrointestinal symptoms, including upset stomach. |
| **Skin contact** | Repeated exposure may cause skin dryness or cracking |
| **Eye contact** | Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. |

**11.2 Information on other hazards**

**Information on other hazards**

## SECTION 12: Ecological information

**Ecotoxicity** Not known.

**12.1. Toxicity**

**12.2. Persistence and degradability**

**12.3. Bioaccumulative potential**

**12.4. Mobility in soil**

**12.5. Results of PBT and vPvB assessment**

**12.6 Endocrine disrupting properties**

**Endocrine disrupting properties**

**12.6. Other adverse effects**

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods**

| | |
|---|---|
| **General information** | Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. |
| **Disposal methods** | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. ■ According to the European Waste Catalogue, Waste Codes are not product specific but application specific. Waste Codes should be assigned by the User based on the application in which the product is used. ● Dispose of by: Burial in a licenced land-fill or incineration in a licenced apparatus (after admixture with suitable combustible material). |

## SECTION 14: Transport information

**14.1. UN number**

**UN number or ID number**

| | |
|---|---|
| **UN No. (ADR/RID)** | 1866 |
| **UN No. (IMDG)** | 1866 |
| **UN No. (ICAO)** | 1866 |
| **UN No. (ADN)** | 1866 |

**14.2. UN proper shipping name**

| | |
|---|---|
| **Proper shipping name (ADR/RID)** | RESIN SOLUTION |
| **Proper shipping name (IMDG)** | RESIN SOLUTION |
| **Proper shipping name (ICAO)** | RESIN SOLUTION |
| **Proper shipping name (ADN)** | RESIN SOLUTION |

**14.3. Transport hazard class(es)**

| | |
|---|---|
| **ADR/RID class** | 3 |
| **ADR/RID classification code** | F1 |

# POLIPOX SHOP PRIMER B KOMP.

| | |
|---|---|
| **ADR/RID label** | 3 |
| **IMDG class** | 3 |
| **ICAO class/division** | 3 |
| **ADN class** | 3 |

**Transport labels**




**14.4. Packing group**

| | |
|---|---|
| **ADR/RID packing group** | II |
| **IMDG packing group** | II |
| **ICAO packing group** | II |
| **ADN packing group** | II |

**14.5. Environmental hazards**

**Environmentally hazardous substance/marine pollutant**
No.

**14.6. Special precautions for user**

| | |
|---|---|
| **EmS** | F-E, S-E |
| **ADR transport category** | 2 |
| **Emergency Action Code** | •3YE |
| **Hazard Identification Number (ADR/RID)** | 33 |
| **Tunnel restriction code** | (D/E) |

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

| | |
|---|---|
| **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** | Not applicable. |

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

| | |
|---|---|
| **EU legislation** | According to Regulation EC no: 1272/2008 |

.

**15.2. Chemical safety assessment**

## SECTION 16: Other information

| | |
|---|---|
| **General information** | This safety data sheet information was prepared as a requirement of Chemical Substances Regulations. Product 1 Chapter gives other than those specified. Utilization of the product are beyond our control to special conditions, the supplier, the consumer is responsible for ensuring that the requirements of legislation on the subject. Information consisting of present-day situation in this safety data sheet are based on national legislation, health, safety and environmental respects the way. Technical performance and does not guarantee suitability for specific situations. Based on our present knowledge projects, but they do not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. |
| **Key literature references and sources for data** | This SDS is prepared based on the information received from the raw material supplier. |

# POLIPOX SHOP PRIMER B KOMP.

| | |
|---|---|
| **Issued by** | Emre ÇELİK/ Sertifika Numarası: KDU01.16.11 / Belge Tarihi: 12.04.2021 |
| **Revision** | 0 |
| **Supersedes date** | 02/04/2025 |
| **SDS number** | 23860 |
| **Hazard statements in full** | H225 Highly flammable liquid and vapour.<br>H226 Flammable liquid and vapour.<br>H304 May be fatal if swallowed and enters airways.<br>H312 Harmful in contact with skin.<br>H314 Causes severe skin burns and eye damage.<br>H315 Causes skin irritation.<br>H317 May cause an allergic skin reaction.<br>H318 Causes serious eye damage.<br>H332 Harmful if inhaled.<br>H336 May cause drowsiness or dizziness.<br>H340 May cause genetic defects.<br>H350 May cause cancer.<br>H361d Suspected of damaging the unborn child.<br>H373 May cause damage to organs through prolonged or repeated exposure.<br>H373 May cause damage to organs (Hearing organs) through prolonged or repeated exposure.<br>H412 Harmful to aquatic life with long lasting effects.<br>EUH208 Contains TRIETHYLENETETRAMINE. May produce an allergic reaction. |
| **Signature** | Emre ÇELİK/Sertifika Numarası: KDU01.16.11/Belge Tarihi: 12.04.2021 |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.