FPB.001-11.01

# SAFETY DATA SHEET
# PERLA INDUSTRIAL PRIMER

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name** PERLA INDUSTRIAL PRIMER

**Product number** 770

**Container size** 18 KG, 20 KG, 24 KG

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** SOLVENT BASED SYNTHETIC PRIMER.

### 1.3. Details of the supplier of the safety data sheet

**Supplier**
POLİSAN KANSAI BOYA SAN. VE TİC. A.Ş.
Demirciler Osb. Mh. Refik Baydur Cd. No:7/3 Dilovası - KOCAELİ
TURKIYE
www.kansaipolisan.com.tr
+90 262 679 60 00
+90 262 606 03 70
info@kansaipolisan.com

**Contact person** Occupational Health and Safety Department

**Manufacturer**
POLİSAN KANSAI BOYA SAN. ve TİC. A.Ş.
Dilovası Organize Sanayi Bölgesi 1.Kısım Liman Cad. No.7 Dilovası KOCAELİ
www.kansaipolisan.com.tr
+90 262 679 71 44
+90 262 754 74 34
info@kansaipolisan.com

.

### 1.4. Emergency telephone number

**Emergency telephone** ULUSAL ZEHIR DANISMA MERKEZI(UZEM):114 POLİSAN KANSAI BOYA SAN. ve TİC. A.Ş. : 0262 679 60 00

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification (SI 2019 No. 720)**

**Physical hazards** Flam. Liq. 2 - H225

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Repr. 2 - H361d

**Environmental hazards** Not Classified

**Classification (Regulation (EC) No. 1272/2008 CLP).**

### 2.2. Label elements

**Hazard pictograms**



# PERLA INDUSTRIAL PRIMER

| | |
|---|---|
| **Signal word** | Danger |
| **Hazard statements** | EUH208 Contains ETHYL METHYL KETOXIME, cobalt bis (2-ethylhexanoate). May produce an allergic reaction.<br>H315 Causes skin irritation.<br>H319 Causes serious eye irritation.<br>H361d Suspected of damaging the unborn child.<br>H225 Highly flammable liquid and vapour. |
| **Precautionary statements** | P201 Obtain special instructions before use.<br>P202 Do not handle until all safety precautions have been read and understood.<br>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P233 Keep container tightly closed.<br>P240 Ground and bond container and receiving equipment.<br>P241 Use explosion-proof electrical equipment.<br>P242 Use non-sparking tools.<br>P243 Take action to prevent static discharges.<br>P264 Wash contaminated skin thoroughly after handling.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.<br>P302+P352 IF ON SKIN: Wash with plenty of water.<br>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.<br>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P308+P313 IF exposed or concerned: Get medical advice/ attention.<br>P321 Specific treatment (see medical advice on this label).<br>P332+P313 If skin irritation occurs: Get medical advice/ attention.<br>P337+P313 If eye irritation persists: Get medical advice/ attention.<br>P362+P364 Take off contaminated clothing and wash it before reuse.<br>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.<br>P403+P235 Store in a well-ventilated place. Keep cool.<br>P405 Store locked up.<br>P501 Dispose of contents/ container in accordance with national regulations. |
| **Contains** | TOLUENE |

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**xylene** **10-20%**

CAS number: 1330-20-7 EC number: 215-535-7

**Classification**
Flam. Liq. 3 - H226
Acute Tox. 4 - H312
Acute Tox. 4 - H332
Skin Irrit. 2 - H315

| **toluene** | **5-10%** |
|---|---|
| CAS number: 108-88-3 | EC number: 203-625-9 |

**Classification**
Flam. Liq. 2 - H225
Skin Irrit. 2 - H315
Repr. 2 - H361d
STOT SE 3 - H336
STOT RE 2 - H373
Asp. Tox. 1 - H304

| **2-methylpropan-1-ol** | **1-5%** |
|---|---|
| CAS number: 78-83-1 | EC number: 201-148-0 |

**Classification**
Flam. Liq. 3 - H226
Skin Irrit. 2 - H315
Eye Dam. 1 - H318
STOT SE 3 - H335, H336

| **ETHYL METHYL KETOXIME** | **<1%** |
|---|---|
| CAS number: 96-29-7 | EC number: 202-496-6 |

**Classification**
Acute Tox. 4 - H312
Eye Dam. 1 - H318
Skin Sens. 1 - H317
Carc. 2 - H351

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information** If in doubt, get medical attention promptly. Get medical attention if symptoms are severe or persist. Never give anything by mouth to an unconscious person. Show this Safety Data Sheet to the medical personnel.

**Inhalation** Move affected person to fresh air at once. Get medical attention.

**Ingestion** DO NOT induce vomiting. Get medical attention immediately. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

**Skin contact** Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention immediately.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue.

### 4.2. Most important symptoms and effects, both acute and delayed

**General information** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

**Inhalation** Vapours may cause drowsiness and dizziness.

**Ingestion** If accidentally swallowed obtain immediate medical attention. Keep affected person warm and at rest. Do not induce vomiting.

**Skin contact** The product is irritating to eyes and skin.

**Eye contact** Irritation, burning, lachrymation, blurred vision after liquid splash.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Use fire-extinguishing media suitable for the surrounding fire. Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

**Unsuitable extinguishing media** Water.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Not known.

**Hazardous combustion products** Oxides of carbon.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Contain and collect extinguishing water.

**Special protective equipment for firefighters** Wear chemical protective suit. Use air-supplied respirator, gloves and protective goggles.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.

**For non-emergency personnel** No data available.

**For emergency responders** No data available.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination. Contain spillage with sand, earth or other suitable non-combustible material.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Wear eye and face protection. Wear appropriate clothing to prevent any possibility of skin contact.

**Advice on general occupational hygiene** When using do not eat, drink or smoke. Do not smoke in work area. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes wet or contaminated.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

# PERLA INDUSTRIAL PRIMER

**Storage class** Flammable liquid storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**Usage description** Use the product according to its Technical Data Sheet or instructions written on the label.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

**Occupational exposure limits**

**xylene**

Long-term exposure limit (8-hour TWA): WEL 50 ppm 220 mg/m³
Short-term exposure limit (15-minute): WEL 100 ppm 441 mg/m³
Sk, BMGV

**toluene**

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m³
Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m³
Sk

**2-methylpropan-1-ol**

Long-term exposure limit (8-hour TWA): WEL 50 ppm 154 mg/m³
Short-term exposure limit (15-minute): WEL 75 ppm 231 mg/m³

WEL = Workplace Exposure Limit.
Sk = Can be absorbed through the skin.
BMGV = Biological monitoring guidance value.

**Ingredient comments** WEL = Workplace Exposure Limits

### 8.2. Exposure controls

**Protective equipment**



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation. Ensure that the direction of airflow is clearly away from the worker. Use approved respirator if air contamination is above an acceptable level. Use explosion-proof electrical, ventilating and lighting equipment. Static electricity and formation of sparks must be prevented.

**Personal protection** Use the personal protective equipments showed above. Remove sources of ignition, do not turn lights or unprotected electrical equipment on or off. In case of a major spill or spillage in a confined space evacuate the area and check that solvent vapour levels are below the Lower Explosive Limit before re-entering.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection** Use protective gloves.

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

**Hygiene measures** Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do not eat, drink or smoke when using this product.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

**Thermal hazards** No data available.

**Environmental exposure controls** Keep container tightly sealed when not in use. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

# PERLA INDUSTRIAL PRIMER

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| | |
|---|---|
| **Appearance** | Viscous liquid. |
| **Odour** | Organic solvents. |
| **Flash point** | 15,5°C Closed cup. |
| **Bulk density** | 1.45-1.55 kg/m³ |
| **Viscosity** | 100-105 KU -4°C @ °C |

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

| | |
|---|---|
| **Reactivity** | Stable under normal conditions. |

### 10.2. Chemical stability

| | |
|---|---|
| **Stability** | Stable at normal ambient temperatures. |

### 10.3. Possibility of hazardous reactions

| | |
|---|---|
| **Possibility of hazardous reactions** | Not known. |

### 10.4. Conditions to avoid

| | |
|---|---|
| **Conditions to avoid** | Avoid heat, flames and other sources of ignition. Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. |

### 10.5. Incompatible materials

| | |
|---|---|
| **Materials to avoid** | Avoid contact with the following materials: Acids - oxidising. |

### 10.6. Hazardous decomposition products

| | |
|---|---|
| **Hazardous decomposition products** | Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). |

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Information on hazard classes as defined in Regulation (EC) No 1272/2008**

| | |
|---|---|
| **Toxicological effects** | No information available. |

**Acute toxicity - dermal**

| | |
|---|---|
| **ATE dermal (mg/kg)** | 5,786.28 |

**Acute toxicity - inhalation**

| | |
|---|---|
| **ATE inhalation (gases ppm)** | 23,671.13 |
| **ATE inhalation (vapours mg/l)** | 57.86 |
| **ATE inhalation (dusts/mists mg/l)** | 7.89 |

| | |
|---|---|
| **Inhalation** | Prolonged inhalation of high concentrations may damage respiratory system. |
| **Ingestion** | May be harmful if swallowed and enters airways. |
| **Skin contact** | Prolonged or repeated exposure may cause severe irritation. May cause an allergic skin reaction. |
| **Eye contact** | May cause severe eye irritation. |
| **Target organs** | Skin Eyes Respiratory system, lungs Reproductive organs |

# PERLA INDUSTRIAL PRIMER

### 11.2 Information on other hazards

**Information on other hazards**

## SECTION 12: Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

### 12.1. Toxicity

**Toxicity** No data available.

### 12.2. Persistence and degradability

**Persistence and degradability** The product is not readily biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

**Mobility** The product is insoluble in water and will spread on the water surface.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6 Endocrine disrupting properties

**Endocrine disrupting properties**

### 12.6. Other adverse effects

**Other adverse effects** No information required.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. ■ According to the European Waste Catalogue, Waste Codes are not product specific but
application specific. Waste Codes should be assigned by the User based on the application in which the product is used. ● Dispose of by: Burial in a licenced land-fill or incineration in a licenced apparatus (after
admixture with suitable combustible material).

## SECTION 14: Transport information

### 14.1. UN number

**UN number or ID number**

**UN No. (ADR/RID)** 1263

**UN No. (IMDG)** 1263

**UN No. (ICAO)** 1263

**UN No. (ADN)** 1263

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** PAINT

**Proper shipping name (IMDG)** PAINT

# PERLA INDUSTRIAL PRIMER

| | |
|---|---|
| **Proper shipping name (ICAO)** | PAINT |
| **Proper shipping name (ADN)** | PAINT |

**14.3. Transport hazard class(es)**

| | |
|---|---|
| **ADR/RID class** | 3 |
| **ADR/RID classification code** | F1 |
| **ADR/RID label** | 3 |
| **IMDG class** | 3 |
| **ICAO class/division** | 3 |
| **ADN class** | 3 |

**Transport labels**




**14.4. Packing group**

| | |
|---|---|
| **ADR/RID packing group** | II |
| **IMDG packing group** | II |
| **ICAO packing group** | II |
| **ADN packing group** | II |

**14.5. Environmental hazards**

**Environmentally hazardous substance/marine pollutant**
No.

**14.6. Special precautions for user**

| | |
|---|---|
| **EmS** | F-E, S-E |
| **ADR transport category** | 2 |
| **Emergency Action Code** | •3YE |
| **Hazard Identification Number (ADR/RID)** | 33 |
| **Tunnel restriction code** | (D/E) |

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

| | |
|---|---|
| **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** | Not applicable. |

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

| | |
|---|---|
| **EU legislation** | According to Regulation EC no: 1272/2008 |

.

**15.2. Chemical safety assessment**

## SECTION 16: Other information

# PERLA INDUSTRIAL PRIMER

| | |
|---|---|
| **General information** | This safety data sheet information was prepared as a requirement of Chemical Substances Regulations. Product 1 Chapter gives other than those specified. Utilization of the product are beyond our control to special conditions, the supplier, the consumer is responsible for ensuring that the requirements of legislation on the subject. Information consisting of present-day situation in this safety data sheet are based on national legislation, health, safety and environmental respects the way. Technical performance and does not guarantee suitability for specific situations. Based on our present knowledge projects, but they do not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. |
| **Key literature references and sources for data** | This SDS is prepared based on the information received from the raw material supplier. |
| **Issued by** | Emre ÇELİK/ Sertifika Numarası: KDU01.16.11 / Belge Tarihi: 12.04.2021 |
| **Revision date** | 15/12/2023 |
| **Revision** | 02 |
| **Hazard statements in full** | EUH208 Contains ETHYL METHYL KETOXIME, cobalt bis (2-ethylhexanoate). May produce an allergic reaction.<br>H225 Highly flammable liquid and vapour.<br>H226 Flammable liquid and vapour.<br>H304 May be fatal if swallowed and enters airways.<br>H312 Harmful in contact with skin.<br>H315 Causes skin irritation.<br>H317 May cause an allergic skin reaction.<br>H318 Causes serious eye damage.<br>H319 Causes serious eye irritation.<br>H332 Harmful if inhaled.<br>H335 May cause respiratory irritation.<br>H336 May cause drowsiness or dizziness.<br>H351 Suspected of causing cancer.<br>H361d Suspected of damaging the unborn child.<br>H373 May cause damage to organs through prolonged or repeated exposure. |
| **Signature** | Emre ÇELİK/Sertifika Numarası: KDU01.16.11/Belge Tarihi: 12.04.2021 |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.